

КОНТАКТНЫЕ КЛЕММЫ 1 НЕИЗОЛИРОВАННЫЕ, ОБЖИМНОГО ТИПА

Flat Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
192577	2.8mm Flat Spade	For Insulators		0.5-1.0mm ²	M	N
191129	4.7mm Flat Spade			0.5-1.5mm ²	M	Y
191549	6.3mm Flat Spade			0.3-0.8mm ²	M	Y
191415	6.3mm Flat Spade	For Insulators		1.0-2.5mm ²	M	N
190270	6.3mm Flat Spade			1.0-2.5mm ²	M	Y
192380	6.3mm Flat Spade	Japanese Style	Tin Plated	0.5-2.0mm ²	M	Y
191028	6.3mm Flat Spade			4.0-6.0mm ²	M	Y
192039	8.0mm Flat Spade	For Insulators		2.5-4.0mm ²	M	Y

Flat Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
191263	8.0mm Flat Spade	For Power Connectors		2.5-4.0mm ²	M	Y
191983	8.0mm Flat Spade	For Power Connectors		4.0-10.0mm ²	M	Y
191264	8.0mm Flat Spade	For Power Connectors		10.0-16.0mm ²	M	Y

Flat Spade





Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
192785	1.0mm Flat Spade	Multi lock terminal	1.0x0.64 mm tap	0.3-0.5mm ²	M	N
192089	1.5mm Flat Spade	Superseal Connectors		1.0-1.5mm ²	M	N
192217	1.6mm Flat Spade	Micro Timer II	1.6x0.8 mm tap	0.5-1.0mm ²	M	Y
192410	1.8mm Flat Spade	Type 070, M280		0.5-1.25mm ²	M	N
192528	2.3mm Flat Spade	MT series 090		0.5-1.25mm ²	M	Y
192645	2.3mm Flat Spade	TS Sealed Series 090		0.5-1.25mm ²	M	Y
192174	2.8mm Flat Spade	Junior Timer		0.4-1.5mm ²	M	Y
192156	2.8mm Flat Spade	Junior Power Timer		0.5-1.0mm ²	M	Y
192157	2.8mm Flat Spade	Junior Power Timer		1.5-2.5mm ²	M	Y
192503	2.8mm Flat Spade	Junior Power Timer	Prepared for wire seal	0.5-1.0mm ²	M	Y
192681	2.8mm Flat Spade	M280 terminal/car radio	DIN 46343	0.5-1.0mm ²	M	Y
192240	2.8mm Flat Spade	Mark II terminal		0.5-1.5mm ²	M	N
192373	2.8mm Flat Spade	Metripack M280		0.5-1.5mm ²	M	N
191807	3.0mm Flat Spade	w/snaplock for MIC I Connectors		1.0-3.0mm ²	M	N

Female Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
190725	6.3mm Female Spade	Flag Type	Fits 190733	1.0-2.5mm ²	F	N
191938	8.0mm Female Spade	Flag Type	Fits 190799	1.0-2.5mm ²	F	N
190726	9.5mm Female Spade	Flag Type	Fits 190733	3.0-6.0mm ²	F	N
192001	6.3mm Female Spade	Flag Type	Form B	0.5-1.0mm ²	F	N



Female Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
191083	2.8mm Female Spade			0.5-1.0mm ²	F	Y
191089	4.7mm Female Spade		Tin Plated	0.5-1.0mm ²	F	Y
190868	6.3mm Female Spade			0.5-1.0mm ²	F	Y
192377	6.3mm Female Spade		Tin Plated	0.5-1.0mm ²	F	Y
192776	6.3mm Female Spade			0.5-2.5mm ²	F	Y
190252	6.3mm Female Spade		Preformed	1.0-2.5mm ²	F	Y
192376	6.3mm Female Spade		Tin Plated	1.0-2.5mm ²	F	Y
191029	6.3mm Female Spade		Tin Plated	2.5-6.0mm ²	F	Y
192378	6.3mm Female Spade		Tin Plated, Preformed	2.5-6.0mm ²	F	Y
191200	8.0mm Female Spade	For bulb holders	Tin Plated	1.0-2.5mm ²	F	Y
192040	8.0mm Female Spade			2.5-4.0mm ²	F	Y
191025	9.5mm Female Spade		Tin Plated	2.0-4.0mm ²	F	Y
192381	6.3mm Female Spade	Japanese Style	Tin Plated	0.5-2.0mm ²	F	N
192443	4.8mm Female Spade			0.5-1.0mm ²	F	N
192573	4.8mm Female Spade		Tin Plated	0.5-1.0mm ²	F	N
192574	6.3mm Female Spade		Tin Plated	0.5-1.0mm ²	F	N
191008	6.3mm Female Spade			1.0-2.5mm ²	F	N
191064	6.3mm Female Spade			2.5-6.0mm ²	F	N
191069	9.5mm Female Spade			2.0-4.0mm ²	F	N
192772	6.3mm Female Spade	For PC Board			F	N

Female Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
192786	1.0mm Female Spade	O40 multilock	1.0mm tap	0.3-0.5mm ²	F	N
192090	1.5mm Female Spade	Superseal Connectors		1.0-1.5mm ²	F	N
192411	1.8mm Female Spade	070, F 280 tyoe		0.5-1.25mm ²	F	N
192529	2.3mm Female Spade	MT series 090		0.5-1.25mm ²	F	Y
192646	2.3mm Female Spade	TS Sealed Series 090		0.5-1.25mm ²	F	Y
192239	2.8mm Female Spade	Mark II terminal		0.5-1.5mm ²	F	N
192374	2.8mm Female Spade	Metripack M280		0.5-1.5mm ²	F	N
191806	3.0mm Female Spade	w/snaplock for MIC I Connectors		1.0-3.0mm ²	F	N
191496	4.7mm Female Spade	positive lock	straight type	0.4-1.0mm ²	F	N
191246	6.3mm Female Spade	positive lock	straight type	0.5-1.5mm ²	F	N
191247	6.3mm Female Spade	positive lock	straight type	2.5-4.0mm ²	F	N
191248	6.3mm Female Spade	positive lock	flag type	1.0-2.5mm ²	F	N
191260	8.0mm Female Spade	w/inox steel clip	for maxi fuse box & power connectors	1.0-2.5mm ²	F	N
191261	8.0mm Female Spade	w/inox steel clip	for maxi fuse box & power connectors	4.0-6.0mm ²	F	N
191262	8.0mm Female Spade	w/inox steel clip	for maxi fuse box & power connectors	6.0-10.0mm ²	F	N
192140	1.6mm Female Spade	Micro Timer II	1.6x0.8mm tap	0.5-1.0mm ²	F	Y
191551	2.8mm Female Spade	Junior Timer	2.8x0.8mm tap	0.5-1.5mm ²	F	Y
192155	2.8mm Female Spade	Junior Timer	2.8x0.8mm tap	1.5-2.5mm ²	F	Y
192719	2.8mm Female Spade	Junior Timer, w/internal stainless steel spring	2.8x0.8mm tap	0.5-1.5mm ²	F	Y
192175	2.8mm Female Spade	Junior Power Timer	2.8x0.8mm tap	0.5-1.0mm ²	F	Y
192176	2.8mm Female Spade	Junior Power Timer	2.8x0.8mm tap	1.0-2.5mm ²	F	Y

Flat Spade



Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
191497	4.7mm Flat Spade	Screw Type	45°	3.2mm ² Hole	M	N
191044	6.3mm Flat Spade	Screw Type	180°	5.3mm ² Hole	M	N
191016	6.3mm Flat Spade	Screw Type	45°	4.2mm ² Hole	M	N
190283	6.3mm Flat Spade	Screw Type	45°	5.2mm ² Hole	M	N
191791	6.3mm Flat Spade	Screw Type	45°	6.3mm ² Hole	M	N
192242	6.3mm Flat Spade	Screw Type	45°	8.4mm ² Hole	M	N
191046	6.3mm Flat Spade	Screw Type	90°	3.7mm ² Hole	M	N
191047	6.3mm Flat Spade	Screw Type	90°	5.3mm ² Hole	M	N
192576	6.3mm Flat Spade	Screw Type - Double	45°	4.2mm ² Hole	M	N
191048	9.5mm Flat Spade	Screw Type	180°	5.3mm ² Hole	M	N

КОНТАКТНЫЕ КЛЕММЫ 2 НЕИЗОЛИРОВАННЫЕ, ОБЖИМНОГО ТИПА

Flat Spade

Cargo No	Spec	Note 1	Cable Size	M/F	Non return tag
190256	Adapter	6.3mm Spade & piggyback		M	N
192383	Adapter	6.3mm Female Spade & piggyback	1-2.5mm ²	M/F	N
192575	Adapter	6.3mm Spade triple connector		M	N
191559	Adapter	6.3mm spade to Angled 6.3mm Spade Tin Plated		M	N
191871	Spring Terminal	For Blade Fuse HD	2.5-4.0mm ²	F	Y

Spring Terminal

Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
191411	Spring Terminal	For Blade Fuse Holder	Male 6.3 connection		F	Y
191412	Spring Terminal	For Blade Fuse Holder		1.0-2.5mm ²	F	Y
191413	Spring Terminal	For Blade Fuse Holder		2.5-6.0mm ²	F	Y
191870	Spring Terminal	For Blade Fuse HD		1.0-1.5mm ²	F	Y
191871	Spring Terminal	For Blade Fuse HD		2.5-4.0mm ²	F	Y
191872	Spring Terminal	For Blade Fuse HD		4.0-6.0mm ²	F	Y

Leaf Spring Connector

Cargo No	Spec	Note 1	Note 2	Cable Size	M/F	Non return tag
192236	Leaf Spring Connector	w/internal stainless steel spring	fits 6.3x0.8 & 4.8x0.8mm tap	0.5-1.0mm ²	F	Y
192237	Leaf Spring Connector	w/internal stainless steel spring	fits 6.3x0.8 & 4.8x0.8mm tap	1.5-2.5mm ²	F	Y
192238	Leaf Spring Connector	w/internal stainless steel spring	fits 6.3x0.8 & 4.8x0.8mm tap	2.5-4.0mm ²	F	Y

Timer Terminals

Cargo No	Spec	Note 1	Cable Size	M/F	Non return tag
191556	Standard Timer Terminal	Fit 6.3x0.8, 5.8 x0.8 & 4.8x0.8mm tap	1.0-2.5mm ²	F	Y
192485	Maxi Power Timer Terminal	Fits .0x1.2 & 9.5x1.2mm tap	2.5-4.0mm ²	F	Y
192486	Maxi Power Timer Terminal	Fits 8.0x1.2 & 9.5x1.2mm tap	4.0-6.0mm ²	F	Y
192487	Maxi Power Timer Terminal	Fits 8.0x1.2 & 9.5x1.2mm tap	6.0-10.0mm ²	F	Y
192688	Maxi Power Timer Terminal	Fits 8.0x1.2 & 9.5x1.2mm tap	16mm ²	F	Y

Male & Female Bullets

Cargo No	Spec	Cable Size	M/F	Non return tag
191915	Male bullet Terminal, dia 1.0mm	0.3-0.9mm ²	M	Y
191916	Female bullet Terminal, dia 1.0mm	0.3-0.9mm ²	F	Y
191985	Male bullet Terminal, dia 1.6mm	0.75-1.5mm ²	M	Y
191986	Female bullet Terminal, dia 1.6mm	0.75-1.5mm ²	F	Y
191543	Male bullet Terminal, dia 1.6mm	1.0-2.5mm ²	M	Y
191544	Female bullet Terminal, dia 1.6mm	1.0-2.5mm ²	F	Y
191091	Male bullet Terminal, dia 2.1mm	0.5-2.1mm ²	M	Y
191092	Female bullet Terminal, dia 2.1mm	0.5-2.1mm ²	F	Y
191074	Male bullet Terminal, dia 2.1mm	1.0-2.5mm ²	M	Y
191075	Female bullet Terminal, dia 2.1mm	1.0-2.5mm ²	F	Y
191563	Male bullet Terminal, dia 3.5mm	0.5-2.5mm ²	M	Y

Male & Female Bullets

Cargo No	Spec	Cable Size	M/F	Non return tag
191564	Female bullet Terminal, dia 3.5mm	0.5-2.5mm ²	F	Y
191078	Male bullet Terminal, dia	0.5-2.5mm ²	M	N
191079	Female bullet Terminal, dia	0.5-2.5mm ²	F	N

Male & Female Deutsch

Cargo No	Spec	Cable Size	M/F	Non return tag
192619	Male Deutsch Dia: 1.0mm	0.2-0.5mm ²	M	N
192620	Female Deutsch Dia: 1.0mm	0.2-0.5mm ²	F	N
192505	Male Deutsch Dia: 1.5mm	0.75-1.25mm ²	M	N
192506	Female Deutsch Dia: 1.5mm	0.75-1.25mm ²	F	N
192477	Male Deutsch Dia: 1.5mm	1.25-2.0mm ²	M	N
192478	Female Deutsch Dia: 1.5mm	1.25-2.0mm ²	F	N
192621	Male Deutsch Dia: 2.3mm	2.0-3.0mm ²	M	N
192622	Female Deutsch Dia: 2.3mm	2.0-3.0mm ²	F	N

Weatherproof Connector Terminals

Cargo No	Spec	Cable Size	M/F	Non return tag
191168	ABS/EBS/eaetherproof Connector Terminals	1.5-2.5mm ²	F	N
191169	ABS/EBS/eaetherproof Connector Terminals	4.0-6.0mm ²	F	N
192180	ABS/EBS/Weatherproof Connector Terminals	1.5mm ²	F	N
192181	ABS/EBS/Weatherproof Connector Terminals	4.0mm ²	F	N
191171	ABS/EBS/Weatherproof Connector Terminals	1.5mm ²	M	N
191172	ABS/EBS/Weatherproof Connector Terminals	4.0-6.0mm ²	M	N
191196	ABS/EBS/Weatherproof Connector Terminals	1.5mm ²	M	N
191197	ABS/EBS/Weatherproof Connector Terminals	4.0mm ²	M	N
192865	ABS/EBS/Weatherproof Connector Terminals	1.0-1.5mm ²	F	N
192866	ABS/EBS/Weatherproof Connector Terminals	1.5-2.5mm ²	F	N
192867	ABS/EBS/Weatherproof Connector Terminals	4.0mm ²	F	N
192868	ABS/EBS/Weatherproof Connector Terminals	1.0mm ²	M	N
192869	ABS/EBS/Weatherproof Connector Terminals	2.5mm ²	M	N
192870	ABS/EBS/Weatherproof Connector Terminals	4.0mm ²	M	N

Pin

Cargo No	Spec	Cable Size	M/F	Non return tag
191801	PIN	1.0-2.5mm ²		N
192552	PIN	2.5-4.0mm ²		N
192584	PIN	1.5-2.5mm ²		N
191855	PIN	2.6-4mm ²		N

Crimp Terminals


Cargo No	Spec	Note 1	Cable Size	M/F	Non return tag
191735	Terminal	for Powr-bloks	1.5-4.0mm ²	F	N
191737	Terminal 4.7mm	for Powr-bloks	0.8-1.5mm ²	F	N
191738	Terminal 4.7mm	for Powr-bloks	1.5-4.0mm ²	F	N
191739	Terminal 2.8mm	for Powr-bloks	1.0-2.5mm ²	F	N
191740	Terminal 2.8mm	for Powr-bloks	1.0-2.5mm ²	F	N
191764	Terminal 6.3mm	for Powr-bloks	0.5-0.8mm ²	F	N
191765	Terminal 6.3mm	for Powr-bloks	1.3-2.1mm ²	F	N
191766	Terminal 6.3mm	for Powr-bloks	3.3-5.5mm ²	F	N

Ring Terminal

Cargo No	Spec	Cable Size	M/F	Non return tag
191030	Ring Terminal, 4.3mm ring	0.8-2.0mm ²		N
192003	Ring Terminal, 5.4mm ring	0.8-2.0mm ²		N
192004	Ring Terminal, 6.4mm ring	0.8-2.5mm ²		N
192005	Ring Terminal, 8.4mm ring	0.8-4.0mm ²		N

Flag Ring Terminal

Cargo No	Spec	Cable Size	M/F	Non return tag
192246	Non insulated crimp terminal Flag Ring Terminal 3.2mm Hole	0.5-1.5mm ²		N
191050	Flag Ring Terminal 4.3mm Hole	0.3-1.7mm ²		N
191051	Flag Ring Terminal 5.3mm Hole	0.3-1.7mm ²		N
191856	Flag Ring Terminal 8.3mm Hole	10.5-16.8mm ²		N
192067	Flag Ring Terminal 8.3mm Hole	16.8-26.7mm ²		N



КОНТАКТНЫЕ КЛЕММЫ 3 НЕИЗОЛИРОВАННЫЕ, ОБЖИМНОГО ТИПА

Cable Joints Ring



Cargo No	Spec	Cable Size
192975	Ring: M3	0.25-1mm ²
191060	Ring: M4	0.25-1.0mm ²
192134	Ring: M5	2.5-6.0mm ²
192135	Ring: M5	5.0-10.0mm ²
190846	Ring: M6	4.0-6.0mm ²
190716	Ring: M6	10.0mm ²
190717	Ring: M6	16.0mm ²
191049	Ring: M8	8.0-10.0mm ²
190718	Ring: M8	16.0mm ²
192557	Ring: M10	16.0mm ²
190719	Ring: M8	25.0mm ²
190720	Ring: M10	25.0mm ²
191416	Ring: M8	35.0mm ²
190721	Ring: M10	35.0mm ²
190722	Ring: M8	50.0mm ²
190723	Ring: M10	50.0mm ²

Cable Lugs Ring Continued

Cargo No	Spec	Cable Size
192923	Ring: M8	35.0-50.0mm ²
192924	Ring: M10	35.0-50.0mm ²
192925	Ring: M12	35.0-50.0mm ²
192926	Ring: M8	50.0-70.0mm ²
192927	Ring: M10	50.0-70.0mm ²
192928	Ring: M12	50.0-70.0mm ²
192932	Ring: M10	95.0mm ²
192933	Ring: M12	95.0mm ²

Butt Splice



Cargo No	Spec	Cable Size
192007	Butt Splice	1.3mm ²
192008	Butt Splice	2.0mm ²
191885	Butt Splice	6.0mm ²
191886	Butt Splice	10.0mm ²
191887	Butt Splice	16.0mm ²
191888	Butt Splice	25.0mm ²
191889	Butt Splice	35.0mm ²
191890	Butt Splice	50.0mm ²
191891	Butt Splice	70.0mm ²

Cable Lugs Ring



Cargo No	Spec Cable Lugs	Cable Size
192905	Ring: M6	4.0-6.0mm ²
192906	Ring: M8	4.0-6.0mm ²
192907	Ring: M10	4.0-6.0mm ²
192908	Ring: M6	6.0-10.0mm ²
192909	Ring: M8	6.0-10.0mm ²
192910	Ring: M10	6.0-10.0mm ²
191884	Ring: M12	6.0-10.0mm ²
192911	Ring: M6	10.0-16.0mm ²
192912	Ring: M8	10.0-16.0mm ²
192913	Ring: M10	10.0-16.0mm ²
192914	Ring: M12	10.0-16.0mm ²
192915	Ring: M6	16.0-25.0mm ²
192916	Ring: M8	16.0-25.0mm ²
192917	Ring: M10	16.0-25.0mm ²
192918	Ring: M12	16.0-25.0mm ²
192919	Ring: M6	25.0-35.0mm ²
192920	Ring: M8	25.0-35.0mm ²
192921	Ring: M10	25.0-35.0mm ²
192922	Ring: M12	25.0-35.0mm ²

Ignition Coil Terminals



Cargo No	Spec	Cable Size
192222	Ignition Coil	For 7mm Ignition lead, w/clip
192224	Ignition Coil	For 7mm Ignition lead, 90° angle
192225	Ignition Coil	For 7mm Ignition lead, Universal
190052	Ignition Coil	For 7mm Ignition lead

Cord end Terminals



Cargo No	Spec	Length	Cable Size
191962	Cord End	10mm	0.5mm ²
191963	Cord End	10mm	0.75mm ²
191964	Cord End	10mm	1.0mm ²
191965	Cord End	10mm	1.5mm ²
191966	Cord End	10mm	2.5mm ²
192708	Cord End	20mm	2.5mm ²
191967	Cord End	12mm	4.0mm ²
192661	Cord End	20mm	4.0mm ²
191968	Cord End	15mm	6.0mm ²
191969	Cord End	15mm	10.0mm ²
192047	Cord End Terminals	18mm	18.0mm ²



КОНТАКТНЫЕ КЛЕММЫ 4 НЕИЗОЛИРОВАННЫЕ, ОБЖИМНОГО ТИПА

Cargo No	Spec	Color	
190049	2.8mm Female Spade	Red	
192795	2.8mm Female Spade	Blue	
190045	4.7mm Female Spade	Red	
192825	4.7mm Female Spade	Blue	
190022	6.3mm Female Spade	Red	
190020	6.3mm Female Spade	Blue	
190024	6.3mm Female Spade	Yellow	
190041	8.0mm Female Spade	Blue	
190048	9.5mm Female Spade	Yellow	
192226	4.7mm Female Spade, Fully Insulated	Red	
190985	6.3mm Female Spade, Fully Insulated	Red	
190046	6.3mm Female Spade, Fully Insulated	Blue	
192036	6.3mm Female Spade, Fully Insulated	Yellow	
190025	6.3mm Female Spade & Piggy Back Spade	Red	
190026	6.3mm Female Spade & Piggy Back Spade	Blue	
192449	2.8mm Spade	Red	
190019	6.3mm Spade	Red	
190016	6.3mm Spade	Blue	
191191	6.3mm Spade	Yellow	
190017	4.0mm Female Bullet	Red	
190018	5.0mm Female Bullet	Blue	
190050	5.0mm Female Bullet	Yellow	
190021	4.0mm Bullet	Red	
190023	5.0mm Bullet	Blue	
190051	5.0mm Bullet	Yellow	
190028	Butt Connector	Red	
190001	Butt Connector	Blue	
190030	Butt Connector	Yellow	
190038	3.0mm Ring	Red	
190257	3.0mm Ring	Blue	
190027	4.0mm Ring	Red	
190029	4.0mm Ring	Blue	
190031	5.0mm Ring	Red	
190032	5.0mm Ring	Blue	
190033	5.0mm Ring	Yellow	
190015	6.0mm Ring	Red	
190034	6.0mm Ring	Blue	
190035	6.0mm Ring	Yellow	
192352	8.0mm Ring	Red	
190039	8.0mm Ring	Blue	
190255	8.0mm Ring	Yellow	
192353	10mm Ring	Red	
192354	10mm Ring	Blue	
190042	10mm Ring	Yellow	
191515	12mm Ring	Yellow	

Cargo No	Spec	Color	
191501	2.0mm Fork	Red	
190973	4.0mm Fork	Red	
191067	4.0mm Fork	Blue	
190037	5.0mm Fork	Blue	
192950	5.0mm Fork	Yellow	
192142	6.0mm Fork	Yellow	
192370	4.0mm Fork w/ Flange	Blue	
192371	5.0mm Fork w/ Flange	Blue	
190974	Pin	Red	
190952	Pin	Blue	
190953	Pin	Yellow	

Heat -Shrinkable with glue		
Cargo No	Spec	Color
191701	Solder Sleeve - Max Cable O.D. 2.7mm	
191702	Solder Sleeve - Max Cable O.D. 4.5mm	
191703	Solder Sleeve - Max Cable O.D. 6.0mm	
191704	Multiwire Splice (up to 10 wires) - Max Bundle - 3.1mm	
191705	Multiwire Splice (up to 10 wires) - Max Bundle - 3.9mm	
191706	Multiwire Splice (up to 10 wires) - Max Bundle - 5.35mm	
191707	Multiwire Splice (up to 10 wires) - Max Bundle - 7.15mm	
191708	Multiwire Splice (up to 10 wires) w/ glue - Max Bundle - 3.6mm	
191709	Multiwire Splice (up to 10 wires) w/ glue - Max Bundle - 5.0mm	
191710	Multiwire Splice (up to 10 wires) w/ glue - Max Bundle - 7.5mm	
191711	Multiwire Splice (up to 10 wires) w/ glue - Max Bundle - 9.4mm	
191713	Multiwire Splice w/ 6.0 mm ring - Max Bundle 3.9mm	

Heat -Shrinkable with Solder		
Cargo No	Spec	Color
191697	6.3mm Female Spade, Fully Insulated	Red
191698	6.3mm Female Spade, Fully Insulated	Blue
191699	6.3mm Spade	Red
191700	6.3mm Spade	Blue
191009	Butt Connector	Red
192929	Butt Connector	Red
191010	Butt Connector	Blue
192930	Butt Connector	Blue
191011	Butt Connector	Yellow
192931	Butt Connector	Yellow
191682	4.0mm Ring	Red
191685	4.0mm Ring	Blue
191683	5.0mm Ring	Red
191686	5.0mm Ring	Blue
191689	5.0mm Ring	Yellow
191684	6.0mm Ring	Red
191687	6.0mm Ring	Blue
191690	6.0mm Ring	Yellow
191688	8.0mm Ring	Blue
191691	8.0mm Ring	Yellow
191692	10mm Ring	Yellow
191693	4.0mm Fork	Red
191694	4.0mm Fork	Blue
191695	5.0mm Fork	Blue
191696	5.0mm Fork	Yellow

- RED - 0.25 - 1.6mm²
- BLUE - 1.0 - 2.6mm²
- YELLOW - 2.6 - 6.6mm²

